

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## TALON WEATHERBLOK XT

Version 1.1      Revision Date: 04/22/2026      SDS Number: S00037089130      Date of last issue: -  
Date of first issue: 07/13/2016

### SECTION 1. IDENTIFICATION

Product name : TALON WEATHERBLOK XT  
Design code : A12720G

Product Registration number : 100-1055

#### Manufacturer or supplier's details

Company name of supplier : Syngenta Crop Protection, LLC  
Address : Post Office Box 18300  
Greensboro NC 27419  
United States of America (USA)

Telephone : 1 800 334 9481  
Telefax : 1 336 632 2192

E-mail address : sds.requests@syngenta.com  
Emergency telephone : 1 800 888 8372

#### Recommended use of the chemical and restrictions on use

Recommended use : Rodenticide

Restrictions on use : General Use Pesticide

### SECTION 2. HAZARDS IDENTIFICATION

**GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

#### Hazards for the product as supplied

Not a hazardous substance or mixture.

#### Other hazards

None known.

#### GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
paraffin waxes and hydro-carbon waxes	8002-74-2*	>= 10 - <= 30	TSC
sucrose, pure	57-50-1*	>= 3 - <= 7	TSC

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## TALON WEATHERBLOK XT

Version 1.1      Revision Date: 04/22/2026      SDS Number: S00037089130      Date of last issue: -  
Date of first issue: 07/13/2016

propane-1,2-diol	57-55-6*	>= 1 - <= 5	TSC
brodifacoum (ISO)	56073-10-0*	0.005	-

\* Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

### SECTION 4. FIRST AID MEASURES

- General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.
- If inhaled : Take the victim into fresh air.  
If breathing is irregular or stopped, administer artificial respiration.  
Keep patient warm and at rest.  
Call a physician or poison control center immediately.
- In case of skin contact : Take off all contaminated clothing immediately.  
Wash off immediately with plenty of water.  
If skin irritation persists, call a physician.  
Wash contaminated clothing before re-use.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
Remove contact lenses.  
Immediate medical attention is required.
- If swallowed : Take victim immediately to hospital.  
Do NOT induce vomiting.
- Most important symptoms and effects, both acute and delayed : Symptoms of poisoning are typical of anticoagulants. In severe cases there may be bruising, hematomas of the joints, blood in the feces and urine.
- Notes to physician : This product contains anticoagulants with an effect similar to warfarin in that they act by interfering with the synthesis of prothrombin.

The specific measure of effect is the prothrombin time. Note this may not become prolonged until 12-18 hours after ingestion.

The specific antidote is vitamin K1 (Phytomenandione). Initially, antidote should be given by injection (10-20mg, or 0.25mg/kg for children), by slow intravenous infusion at a rate not exceeding 1mg/minute. In severe cases the use of fresh frozen plasma may be required.

Maintenance treatment is given orally (40mg/day in divided doses for adults; up to 20mg/day in divided doses for children).

The prothrombin time and the hemoglobin should be monitored. Patients should be kept under medical supervision until the prothrombin time has been normal for 3 consecutive days. Oral treatment may need continuing for several months (20mg/day in divided doses for adults and up to 20mg/day in divided doses for children). (For animal cases the dose is 2-

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## TALON WEATHERBLOK XT

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	04/22/2026	S00037089130	Date of first issue: 07/13/2016

5mg/kg).

### SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Extinguishing media - small fires  
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.  
Extinguishing media - large fires  
Alcohol-resistant foam  
or  
Water spray
- Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.
- Specific hazards during fire fighting : As the product contains combustible organic ingredients, fire will produce dense black smoke containing hazardous products of combustion (see section 10).  
Exposure to decomposition products may be a hazard to health.
- Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NOx)
- Further information : Do not allow run-off from fire fighting to enter drains or water courses.  
Cool closed containers exposed to fire with water spray.
- Special protective equipment for fire-fighters : Wear full protective clothing and self-contained breathing apparatus.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.  
Avoid dust formation.
- Environmental precautions : Do not flush into surface water or sanitary sewer system.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contain spillage, pick up with an electrically protected vacuum cleaner or by wet-brushing and transfer to a container for disposal according to local regulations (see section 13).  
Do not create a powder cloud by using a brush or compressed air.  
Clean contaminated surface thoroughly.  
Clean with detergents. Avoid solvents.  
Retain and dispose of contaminated wash water.

### SECTION 7. HANDLING AND STORAGE

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## TALON WEATHERBLOK XT

Version 1.1      Revision Date: 04/22/2026      SDS Number: S00037089130      Date of last issue: -  
Date of first issue: 07/13/2016

- Advice on safe handling : No special protective measures against fire required.  
Avoid contact with skin and eyes.  
When using do not eat, drink or smoke.  
For personal protection see section 8.
- Conditions for safe storage : No special storage conditions required.  
Keep containers tightly closed in a dry, cool and well-ventilated place.  
Keep out of the reach of children.  
Keep away from food, drink and animal feedingstuffs.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
paraffin waxes and hydrocarbon waxes	8002-74-2	TWA	2 mg/m3	Supplier
		TWA (Fumes)	2 mg/m3	ACGIH
		TWA (Fumes)	2 mg/m3	NIOSH REL
		TWA (Fumes)	2 mg/m3	OSHA P0
sucrose, pure	57-50-1	TWA	10 mg/m3	ACGIH
		TWA (Respirable)	5 mg/m3	NIOSH REL
		TWA (total)	10 mg/m3	NIOSH REL
		TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (Total dust)	15 mg/m3	OSHA P0
		TWA (respirable dust fraction)	5 mg/m3	OSHA P0
propane-1,2-diol	57-55-6	TWA	10 mg/m3	US WEEL
brodifacoum (ISO)	56073-10-0	TWA	0.002 mg/m3	Syngenta

- Engineering measures** : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## TALON WEATHERBLOK XT

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	04/22/2026	S00037089130	Date of first issue: 07/13/2016

Maintain air concentrations below occupational exposure standards.  
Where necessary, seek additional occupational hygiene advice.

### Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.  
When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hand protection

Remarks : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things from the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection : No special protective equipment required.

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Remove and wash contaminated clothing before re-use.

Wear as appropriate:

Dust impervious protective suit

Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.  
When selecting personal protective equipment, seek appropriate professional advice.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : block

Color : blue

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## TALON WEATHERBLOK XT

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	04/22/2026	S00037089130	Date of first issue: 07/13/2016

Initial boiling point and boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : No data available

Particle characteristics

Particle size : No data available

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : None reasonably foreseeable.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.

Conditions to avoid : No decomposition if used as directed.

Incompatible materials : None known.

Hazardous decomposition : No hazardous decomposition products are known.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## TALON WEATHERBLOK XT

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	04/22/2026	S00037089130	Date of first issue: 07/13/2016

products

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Ingestion  
Inhalation  
Skin contact  
Eye contact

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### Product:

Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg

#### Components:

##### propane-1,2-diol:

Acute oral toxicity : LD50 (Rat): > 20,000 mg/kg

Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rabbit): 317,042 mg/l  
Exposure time: 2 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

##### brodifacoum (ISO):

Acute oral toxicity : LD50 (Rat, male): 0.418 mg/kg

Acute inhalation toxicity : LC50 (Rat, female): 0.00305 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, female): 3.16 mg/kg

#### Skin corrosion/irritation

Not classified due to lack of data.

#### Components:

##### propane-1,2-diol:

Result : No skin irritation

##### brodifacoum (ISO):

Species : Rabbit

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## TALON WEATHERBLOK XT

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	04/22/2026	S00037089130	Date of first issue: 07/13/2016

Result : No skin irritation

### Serious eye damage/eye irritation

Not classified due to lack of data.

#### Components:

##### propane-1,2-diol:

Result : No eye irritation

##### brodifacoum (ISO):

Species : Rabbit

Result : No eye irritation

### Respiratory or skin sensitization

#### Skin sensitization

Not classified due to lack of data.

#### Respiratory sensitization

Not classified due to lack of data.

#### Components:

##### propane-1,2-diol:

Result : Does not cause skin sensitization.

##### brodifacoum (ISO):

Test Type : Buehler Test

Species : Guinea pig

Result : The product is a skin sensitizer, sub-category 1B.

### Germ cell mutagenicity

Not classified due to lack of data.

#### Components:

##### propane-1,2-diol:

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

##### brodifacoum (ISO):

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

### Carcinogenicity

Not classified due to lack of data.

#### Components:

##### propane-1,2-diol:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.



# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## TALON WEATHERBLOK XT

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	04/22/2026	S00037089130	Date of first issue: 07/13/2016

### **brodifacoum (ISO):**

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

### **Reproductive toxicity**

Not classified due to lack of data.

### **Components:**

#### **propane-1,2-diol:**

Reproductive toxicity - Assessment : No toxicity to reproduction, No effects on or via lactation

### **brodifacoum (ISO):**

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

### **STOT-single exposure**

Not classified due to lack of data.

### **Components:**

#### **propane-1,2-diol:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

### **STOT-repeated exposure**

Not classified due to lack of data.

### **Components:**

#### **propane-1,2-diol:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### **brodifacoum (ISO):**

Target Organs : Blood  
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 1.

### **Aspiration toxicity**

Not classified due to lack of data.

### **Components:**

#### **propane-1,2-diol:**

No aspiration toxicity classification

### **Further information**

### **Components:**

#### **brodifacoum (ISO):**

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## TALON WEATHERBLOK XT

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	04/22/2026	S00037089130	Date of first issue: 07/13/2016

Remarks : Excessive exposure slows blood clotting time and can cause bleeding, shock and death.

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

##### Components:

##### **propane-1,2-diol:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l  
Exposure time: 96 h  
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : (Ceriodaphnia dubia (water flea)): 18,340 mg/l  
Exposure time: 48 h  
Test Type: static test

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 19,000 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Ceriodaphnia dubia (Water flea)): 13,020 mg/l  
Exposure time: 7 d  
Test Type: semi-static test

##### **brodifacoum (ISO):**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.04 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.45 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 0.27 mg/l  
Exposure time: 72 h

NOEC (Raphidocelis subcapitata (freshwater green alga)): 0.01 mg/l  
End point: Growth rate  
Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 10

M-Factor (Chronic aquatic toxicity) : 10

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l  
Exposure time: 30 min

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## TALON WEATHERBLOK XT

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	04/22/2026	S00037089130	Date of first issue: 07/13/2016

### Persistence and degradability

#### Components:

##### propane-1,2-diol:

Biodegradability : Result: Readily biodegradable.

##### brodifacoum (ISO):

Biodegradability : Result: Not rapidly biodegradable

Stability in water : Degradation half life: ca. 300 d  
Remarks: Persistent in water.

### Bioaccumulative potential

#### Components:

##### brodifacoum (ISO):

Bioaccumulation : Remarks: bioaccumulative

### Mobility in soil

#### Components:

##### brodifacoum (ISO):

Distribution among environmental compartments : Remarks: immobile

Stability in soil : Dissipation time: 157 d  
Percentage dissipation: 50 % (DT50)  
Remarks: Product is not persistent.

### Other adverse effects

No data available

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not contaminate ponds, waterways or ditches with chemical or used container.  
Do not dispose of waste into sewer.  
Where possible recycling is preferred to disposal or incineration.  
If recycling is not practicable, dispose of in compliance with local regulations.  
This product will not be classified as a RCRA characteristic hazardous waste when discarded.

Contaminated packaging : Empty remaining contents.  
Triple rinse containers.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Do not re-use empty containers.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## TALON WEATHERBLOK XT

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	04/22/2026	S00037089130	Date of first issue: 07/13/2016

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

Not regulated as a dangerous good

##### IATA-DGR

Not regulated as a dangerous good

##### IMDG-Code

Not regulated as a dangerous good

#### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

#### Domestic regulation

##### 49 CFR

Not regulated as a dangerous good

#### Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regulations.

### SECTION 15. REGULATORY INFORMATION

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

#### Caution

Harmful if absorbed through skin.

Harmful if swallowed.

Keep away from children, domestic animals and pets.

Do not get in eyes, on skin, or on clothing.

#### CERCLA Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : No SARA Hazards

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard




## TALON WEATHERBLOK XT

Version 1.1      Revision Date: 04/22/2026      SDS Number: S00037089130      Date of last issue: -  
Date of first issue: 07/13/2016

### SECTION 16. OTHER INFORMATION

#### Further information

##### NFPA 704:



##### HMIS® IV:

HEALTH	/	0
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

#### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA P0	:	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
Syngenta	:	Syngenta Occupational Exposure Limits
US WEEL	:	USA. Workplace Environmental Exposure Levels (WEEL)
ACGIH / TWA	:	8-hour, time-weighted average
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA P0 / TWA	:	8-hour time weighted average
OSHA Z-1 / TWA	:	8-hour time weighted average
Syngenta / TWA	:	Time weighted average
US WEEL / TWA	:	8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil

# SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



## TALON WEATHERBLOK XT

Version	Revision Date:	SDS Number:	Date of last issue: -
1.1	04/22/2026	S00037089130	Date of first issue: 07/13/2016

Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 04/22/2026

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN